Bird Study (1995) **42**, 260–264

Index

Acanthis flavirostris, 107
Adams, C.E. & Mitchell, J. The response of a Grey Heron *Ardea cinerea* breeding colony to rapid change in prey species, 44
Aegithalos caudatus, 240
Agriculture: effects of change on Corn Buntings, 205
Aircraft: gulls a hazard to, 144
Alauda arvensis, 257
Alca torda, 50
Alle alle, 50
Anas spp., 144
Anthus pratensis, 257
Arcos, J.M. *See* Sol, D.
Ardea cinerea, 44
Asio flammeus, 158
Auk, Little: distribution with depth of sea, 50
Aythya spp., 144

Baines, D. & Hudson, P.J. The decline of the Black Grouse in Scotland and northern England, 122
Behaviour: microevolution of migration in Blackcaps, 89; winter territoriality in Black Redstarts, 232
Berthold, P. Microevolution of migratory behaviour illustrated by the Blackcap *Sylvia atricapilla*: 1993 Witherby Lecture, 89
Birdstrike risk: from gulls, 144
Blackcap: microevolution of migratory behaviour, 89; premigratory diet in the Sahel, 101
Body-size: and colony-size in Sand Martins, 57
Breeding: biology of Irish Dippers, 76; breeding biology of the Alpine Chough, 222; breeding Grey Herons and fish predation, 44; Peregrine survey in Ireland, 20; Peregrine UK breeding population, 1; prey and Common Buzzard breeding success, 37; renesting by male Dotterel after rearing chicks, 175; survey and weather impacts on breeding Peregrines, 20; Twite in the Pennines, 107; UK Peregrines in 1991, 1
Brown, A.F., Crick, H.Q.P. & Stillman, R.A. The distribution, numbers, and breeding ecology of Twite *Acanthis flavirostris* in the south Pennines of England, 107
Brown, A.F., Stillman, R.A. & Gibbons, D.W. Use of breeding bird atlas data to identify important bird areas: a northern England case study, 132
Bryant, D.L. & Jones, G. Morphological changes in a population of Sand Martins *Riparia riparia* associated with fluctuations in population size, 57
Bucephala clangula, 144
Buckton, S.T. *See* Jenkins, R.K.B.
Bunting, Corn: effects of agricultural change on population size, 205; habitat selection and population size, 190
Burhinus oedicnemus, 177
Bustamante, J. The duration of the post-fledgling dependence period of Ospreys *Pandion haliaetus* at Loch Garten, Scotland, 31
Buteo buteo, 37, 165
Buzzard, Common: diet and breeding density, 165; prey and breeding success, 37
Census methods *See* Counts
Cepphus grylle, 50
Charadrius morinellus, 174
Chough: feeding on Mining Bee larvae, 253
Chough, Alpine: breeding biology and survival, 222

Bird Study (1995) **42**, 260–264

Index

Acanthis flavirostris, 107
Adams, C.E. & Mitchell, J. The response of a Grey Heron *Ardea cinerea* breeding colony to rapid change in prey species, 44
Aegithalos caudatus, 240
Agriculture: effects of change on Corn Buntings, 205
Aircraft: gulls a hazard to, 144
Alauda arvensis, 257
Alca torda, 50
Alle alle, 50
Anas spp., 144
Anthus pratensis, 257
Arcos, J.M. *See* Sol, D.
Ardea cinerea, 44
Asio flammeus, 158
Auk, Little: distribution with depth of sea, 50
Aythya spp., 144

Baines, D. & Hudson, P.J. The decline of the Black Grouse in Scotland and northern England, 122
Behaviour: microevolution of migration in Blackcaps, 89; winter territoriality in Black Redstarts, 232
Berthold, P. Microevolution of migratory behaviour illustrated by the Blackcap *Sylvia atricapilla*: 1993 Witherby Lecture, 89
Birdstrike risk: from gulls, 144
Blackcap: microevolution of migratory behaviour, 89; premigratory diet in the Sahel, 101
Body-size: and colony-size in Sand Martins, 57
Breeding: biology of Irish Dippers, 76; breeding biology of the Alpine Chough, 222; breeding Grey Herons and fish predation, 44; Peregrine survey in Ireland, 20; Peregrine UK breeding population, 1; prey and Common Buzzard breeding success, 37; renesting by male Dotterel after rearing chicks, 175; survey and weather impacts on breeding Peregrines, 20; Twite in the Pennines, 107; UK Peregrines in 1991, 1
Brown, A.F., Crick, H.Q.P. & Stillman, R.A. The distribution, numbers, and breeding ecology of Twite *Acanthis flavirostris* in the south Pennines of England, 107
Brown, A.F., Stillman, R.A. & Gibbons, D.W. Use of breeding bird atlas data to identify important bird areas: a northern England case study, 132
Bryant, D.L. & Jones, G. Morphological changes in a population of Sand Martins *Riparia riparia* associated with fluctuations in population size, 57
Bucephala clangula, 144
Buckton, S.T. *See* Jenkins, R.K.B.
Bunting, Corn: effects of agricultural change on population size, 205; habitat selection and population size, 190
Burhinus oedicnemus, 177
Bustamante, J. The duration of the post-fledgling dependence period of Ospreys *Pandion haliaetus* at Loch Garten, Scotland, 31
Buteo buteo, 37, 165
Buzzard, Common: diet and breeding density, 165; prey and breeding success, 37
Census methods *See* Counts
Cepphus grylle, 50
Charadrius morinellus, 174
Chough: feeding on Mining Bee larvae, 253
Chough, Alpine: breeding biology and survival, 222

Cinclus cinclus, 76
Clarke, J. & Clarke, P.M. Choughs feeding on Mining Bee *Collectes succinctus* larvae on Colonsay, 253
Clarke, P.M. *See* Clarke, J.
Corncrake: decline in Britain, 66
Corvus corone, 255
Cotgreave, P. Relative importance of avian groups in the diets of British and Irish predators, 246
Counts: Black Grouse decline, 122; Corncrakes in Britain (1993), 66; line transect counts of moorland passerines, 257; Peregrine survey in Ireland, 20; Peregrines in UK, 1; Twite in the Pennines, 107; Water Rails in an inland reedbed, 82
Crex crex, 66
Crick, H.Q.P. & Ratcliffe, D.A. The peregrine *Falco peregrinus* breeding population of the United Kingdom in 1991, 1
Crick, H.Q.P. *See* Brown, A.F.
Crow, Carrion: feeding on carrion, 255
Cuadrado, M. Winter territoriality in migrant Black Redstarts *Phoenicurus ochrurus* in the Mediterranean area, 232
Curlew, Stone: and vegetation height, 177
Cygnus olor, 144

Delestrade, A. & Stoyanov, G. Breeding biology and survival of the Alpine Chough *Pyrrhocorax graculus*, 222
Diet: Buzzard diet and breeding density, 165; carrion-feeding birds, 255; Choughs feeding on bee larvae, 253; of migrants in the Sahel, 101; *See also* Predation
Dipper: breeding biology in Ireland, 76
Distribution: of Peregrines in Ireland, 20; of Peregrines in the UK, 1; refuse tips and winter gull distribution, 216; of seabirds with depth, 50; of Stone Curlews and vegetation height, 177; Twite breeding ecology, 107
Donald, P.F. & Evans, A.D. Habitat selection and population size of Corn Buntings *Miliaria calandra* breeding in Britain in 1993, 190
Donald, P.F. & Forrest, C. The effects of agricultural change on population size of Corn Buntings *Milaria calandra* on individual farms, 205
Dotterel: renesting by males after chick-rearing, 174

Ecology: Corn Buntings and agricultural change, 205; Corncrake decline, 66; Grey Heron response to changes in prey, 44; habitat selection by Corn Buntings, 190; refuse tips and winter gull distribution, 216; Stone Curlews and vegetation height, 177; Twite breeding ecology, 107; Water Rails in an inland reedbed, 82; weather impact on Peregrine populations, 20
Ethridge, B. *See* Swann, R.L.
Evans, A.D. *See* Donald, P.F.

Falco peregrinus, 1, 20
Feathers: as building materials for woodland birds, 240
Feeding *See* Diet
Fledglings *See* Young birds
Forrest, C. *See* Donald, P.F.
Fratercula arctica, 50
Fulica atra, 144
Fulmar: distribution with depth of sea, 50
Fulmarus glacialis, 50

Gibbons, D.W. *See* Brown, A.F.
Gosler, A.G., Kenward, R.E., & Horton, N. The effect of gull roost deterrence on roost occupancy, daily gull movements and wintering wildfowl, 144

Graham, I.M., Redpath, S.M. & Thirgood, S.J. The diet and breeding density of Common Buzzards *Buteo buteo* in relation to indices of prey abundance, 165
Green, R.E & Taylor, C.R. Changes in Stone Curlew distribution and abundance and vegetation height on chalk grassland at Porton Down, Wiltshire, 177
Green, R.E. The decline of the Corncrake *Crex crex* in Britain continues, 66
Grouse, Black: decline, 122
Guillemot: distribution with depth of sea, 50
Guillemot, Black: distribution with depth of sea, 50
Gull, Yellow-legged: refuse tips and gull distribution, 216
Gulls: roost deterrence and wildfowl, 144

Habitats: selection by breeding Corn Buntings, 190; selection by Short-eared Owls, 158
Hansell, M.H. The demand for feathers as building material by woodland nesting birds, 240
Heron, Grey: change in prey species, 44
Horton, N. *See* Gosler, A.G.
Hydrobates pelagicus, 50

Jenkins, R.K.B., Buckton, S.T. & Ormerod, S.J. Local movements and population density of Water Rails *Rallus aquaticus* in a small inland reedbed, 82
Jones, G. *See* Bryant, D.L.
Juveniles *See* Young birds

Kenward, R.E. *See* Gosler, A.G.

Larus cachinnans, 216
Larus canus, 144
Larus fuscus, 144
Larus marinus, 144
Larus ridibundus, 144
Leckie, F.M. *See* Thirgood, S.J.

Macdonald, S.M. *See* Mason, C.F.
Magpie: feeding on carrion, 255
Martin, Sand: numbers and body size, 57
Mason, C.F. & Macdonald, S.M. Corvids feeding on Carrion, 255
Mason, C.F. Long-term trends in the arrival dates of spring migrants, 182
Mergus merganser, 144
Methodology: counting moorland passerines, 257; establishing important upland bird areas, 132
Migrants: arrival dates in spring, 182; arrival dates of spring migrants, 182; diet of passerines in the Sahel, 101; microevolution of migratory behaviour in Blackcaps, 89
Milaria calandra, 190, 205
Mitchell, J. *See* Adams, C.E.
Moreby, S.J. *See* Stoate, C.

New Atlas of Breeding Birds: 1988-1991, 132
Norriss, D.W. The 1991 survey and weather impacts on the Peregrine *Falco peregrinus* breeding population in the Republic of Ireland, 20

O'Halloran, J. *See* Smiddy, P.
O'Mahony, B. *See* Smiddy, P.
Ormerod, S.J. *See* Jenkins, R.K.B.
Osprey: post-fledgling period, 31
Owl, Short-eared: in coniferous forests, 158

Pandion haliaetus, 31
Peregrine: UK breeding population, 1; weather impacts and surveys in Ireland, 20
Phalacrocorax carbo, 144
Phoenicurus ochrurus, 232
Phoenicurus phoenicurus, 101
Pica pica, 255
Pipit, Meadow: moorland densities, 257
Podiceps spp., 144
Populations: Black Grouse decline, 122; breeding Corn Buntings in Britain, 190; effects of agricultural change on Corn Buntings, 205; Sand Martin numbers and body size, 57; Stone Curlews and vegetation height, 177; survey and weather impacts on Peregrines in Ireland, 20; Twite in the Pennines, 107; of UK breeding Peregrines, 1; Water Rails in an inland reedbed, 82
Predation: birds groups in predators' diets, 246; and breeding success in Common Buzzards, 37; diet and breeding density of Common Buzzards, 165; Grey Heron fish predation, 44
Puffin: distribution with depth of sea, 50
Puffinus puffinus, 50
Pyrrhocorax graculus, 222
Pyrrhocorax pyrrhocorax, 253

Rail, Water: in an inland reedbed, 82
Rallus aquaticus, 82
Ratcliffe, D.A. *See* Crick, H.P.Q.
Razorbill: distribution with depth of sea, 50
Redpath, S.M. *See* Graham, I.M.
Redpath, S.M. *See* Thirgood, S.J.
Redstart: premigratory diet in the Sahel, 101
Redstart, Black: winter territoriality, 232
Refuse tips: and winter gull distribution, 216
Riparia riparia, 57
Roosting: gull deterrence and wildfowl, 144

Seabirds: distribution with depth, 50
Senar, J.C. *See* Sol, D.
Shaw, G. Habitat selection by Short-eared Owls *Asio flammeus* in young coniferous forests, 158
Shearwater, Manx: distribution with depth of sea, 50
Skylark: moorland densities, 257
Smiddy, P., O'Halloran, J., O'Mahony, B. & Taylor, A.J. The breeding biology of the Dipper *Cinclus cinclus* in south-west Ireland, 76
Smith, R.D. & Whitfield, D.P. Renesting by male Dotterel *Charadrius morinellus* after successfully rearing chicks, 174
Sol, D., Arcos, J.M. & Senar, J.C. The influence of refuse tips on the winter distribution of Yellow-legged Gulls *Larus cachinnans*, 216
Stillman, R.A. *See* Brown, A.F.
Stoate, C. & Moreby, S.J. Premigratory diet of trans-Saharan migrant passerines in the Western Sahel, 101
Stone, C.J., Webb, A. & Tasker, M.L. The distribution of auks and Procellariiformes in north-west European waters in relation to depth of sea, 50
Storm Petrel, British: distribution with depth of sea, 50
Stoyanov, G. *See* Delestrade, A.
Swann, R.L. & Ethridge, B. A comparison of breeding success and prey of the Common Buzzard *Buteo buteo* in two areas of Northern Scotland, 37
Sylvia atricapilla, 89, 101
Sylvia cantillans, 101

Sylvia communis, 101
Sylvia hortensis, 101

Tachybaptus ruficollis, 144
Tasker, M.L. *See* Stone, C.J.
Taylor, A.J. *See* Smiddy, P.
Taylor, C.R. *See* Green, R.E.
Territories: winter territoriality in Black Redstarts, 232
Tetrao tetrix, 122
Thirgood, S.J., Leckie, F.M. & Redpath, S.M. Diurnal and seasonal variation in line transect counts of moorland passerines, 257
Thirgood, S.J. *See* Graham, I.M.
Tit, Long-tailed: feathers for nest-building, 240
Twite: distribution, numbers and breeding ecology, 107

Uria aalge, 50

Vegetation: Stone Curlews and vegetation height, 177

Warbler, Orphean: premigratory diet in the Sahel, 101
Warbler, Subalpine: premigratory diet in the Sahel, 101
Weather: and Peregrine breeding range, 20
Webb, A. *See* Stone, C.J.
Whitethroat, European: premigratory diet in the Sahel, 101
Whitfield, D.P. *See* Smith, R.D.
Wildfowl: effect of gull-deterrence on, 144
Witherby Lecture (1993), 89

Young birds: Osprey post-fledgling dependence period, 31